

Dissertation, book chapters & edited chapters in international reports [1+8]:

Lepistö, A. 1996. Hydrological processes contributing to nitrogen leaching from forested catchments in Nordic conditions. *Monographs of the Boreal Environment Research* No. 1. Finnish Environment Institute, Helsinki. 72 pp. PhD Thesis.

Seuna, P. & **Lepistö, A.** 1997. (eds.) Physical processes of runoff formation. In: Oberlin, G. & Desbos, E. (eds.) FRIEND Flow Regimes from International Experimental and Network Data; Third report: 1994-1997. UNESCO, Paris. Chapter 6. pp. 305-348.

Lepistö, A. 2000. Nitrogen leaching from forested soils into watercourses. In: Heinonen, P., Ziglio, G. & Beken, A. (eds.) Hydrological and Limnological Aspects of Lake Monitoring. *John Wiley & Sons.*, Chichester. Chapter 1.4, pp.29-39.

Anderson, J., Arblaster, K., Bartley, J., Cooper, T., Kettunen, M., Kaphengst, T., Leipprand, A., Laaser, C., Umpfenbach, K., Kuusisto, E., **Lepistö, A.**, Holmberg, M. 2008. Climate change-induced water stress and its impact on natural and managed ecosystems. Brussels, European Parliament. 95 p. IP/A/CLIM/ST/2007-06. WP4 and WP6. <http://www.europarl.europa.eu/activities/committees/studies/download.do?file=19073> [cited6.10.2008].

Billen, Gilles (Lead author), Co-authors: Marie Silvestre, Bruna Grizzetti, Adrian Leip, Josette Garnier, Maren Voss, Robert Howarth, Fayçal Bouraoui, **Ahti Lepistö**, Pirkko Kortelainen, Penny Johnes, Chris Curtis, Christoph Humborg, Erik Smedberg, Oeyvind Kaste, Raja Ganeshram, Arthur Beusen & Christiane Lancelot. 2011. Nitrogen flows from European regional watersheds to coastal marine waters. In: Sutton, M.A. et al. (eds.) *The European Nitrogen Assessment*. Cambridge University Press. Chapter 13. pp. 271-297. <http://www.nine-esf.org/ENA-Book>

Durand Patrick, Breuer Lutz & Johnes Penny J (lead authors), Contributing authors: Gilles Billen, Andrea Butturini, Gilles Pinay, Hans Van Grinsven, Josette Garnier, Michael Rivett, David S Reay, Chris Curtis, Jan Siemens, Stephen Maberly, Oeyvind Kaste, Christoph Humborg, Roos Loeb, Jeroen de Klein, Josef Hejzlar, Nikos Skoulikidis, Pirkko Kortelainen, **Ahti Lepistö** & Richard Wright. 2011. Nitrogen processes in aquatic ecosystems. In: Sutton, M.A. et al. (eds.) *The European Nitrogen Assessment*. Cambridge University Press. Chapter 7. pp 126-146. <http://www.nine-esf.org/ENA-Book>

Peters, N., Krysanova, V., **Lepistö, A.**, Prasad, R., Thoms, M., Wilby, R. & Zandaryaa, S. (eds.) 2011. *Water Quality: Current Trends and Expected Climate Change Impacts*. IAHS Publication **348**. 186 p. <http://www.iahs.info/redbooks/348.htm>

Joachim Maes, Leon Braat, Kurt Jax, Mike Hutchins, Eeva Furman, Mette Termansen, Sandra Luque, Maria Luisa Paracchini, Christophe Chauvin, Richard Williams, Martin Volk, Sven Lautenbach, Leena Kopperoinen, Mart-Jan Schelhaas, Jens Weinert, Martin Goossen, Egon Dumont, Michael Strauch, Christoph Görg, Carsten Dormann, Mira Katwinkel, Grazia Zulian, Riku Varjopuro, Outi Ratamäki, Jennifer Hauck, Martin Forsius, Geerten Hengeveld, Marta Perez-Soba, Faycal Bouraoui, Mathias Scholz, Christiane Schulz-Zunkel, **Ahti Lepistö**, Yuliana Polishchuk, Giovanni Bidoglio. 2011. *A spatial assessment of ecosystem services in Europe: methods, case studies and policy analysis - phase 1*. PEER Report No 3. Ispra: Partnership for European Environmental Research. 143 p.

Martin Forsius, Riina Antikainen, **Ahti Lepistö**, Antti Tohka, Olli-Pekka Pietiläinen. 2011. Finland In: Bleeker, Albert, Erisman, Jan Willem (eds.). Assessing and managing nitrogen fluxes in the atmosphere-biosphere system in Europe. Brussels, COST Office. P. 104-109. ISBN 978-90-817039-1-8.

Peer-reviewed journal articles and peer-reviewed articles in international conference proceedings [52]:

Lepistö, A., Whitehead, P.G., Neal, C. & Cosby, B.J. 1988. Modelling the effects of acid deposition: estimation of long-term water quality responses in forested catchments in Finland. *Nordic Hydrology* **19**: 99-120.

Lepistö, A. & Seuna, P. 1990. Hydrological characteristics affecting the runoff water acidity. In: Kauppi P, Kenttämies K, Anttila P (eds.): *HAPRO Report on acidification in Finland*. Springer-Verlag. pp.825-847.

Kämäri, J., Forsius, M. & **Lepistö, A.** 1990. Modelling long-term development of surface water acidification in Finland. In: Kauppi P, Kenttämies K, Anttila P (eds.): *HAPRO Report on acidification in Finland*. Springer-Verlag. pp. 781-810.

Bengtsson, L., **Lepistö, A.**, Saxena, R.K. & Seuna, P. 1991. Mixing of meltwater and groundwater in a forested basin. *Aqua Fennica* **21**: 3-12.

Bengtsson, L., Seuna, P., **Lepistö, A.** & Saxena, R.K. 1992. Particle movement of meltwater in a subdrained agricultural basin. *Journal of Hydrology* **135**: 383-398.

Lepistö, A. 1994. Areas contributing to generation of runoff and nitrate leaching as estimated by empirical isotope methods and TOPMODEL. *Aqua Fennica* **24**: 103-120.

Andersson, L., Arheimer, B., Sundblad, K. & **Lepistö, A.**, 1994. Temporal and spatial variability of nitrogen flow from small forested basins. In: Seuna, P., Gustard, A., Arnell, N.W. & Cole, G.A. (eds.) FRIEND: Flow Regimes from Experimental and Network Data. Proceedings of the Braunschweig Conference, October 1993. IAHS Press, Wallingford. *IAHS Publication* **221**: 399-407.

Lepistö, A., Seuna, P. & Bengtsson, L. 1994. The environmental tracer approach in storm runoff studies in forested catchments. In: Seuna, P., Gustard, A., Arnell, N.W. & Cole, G.A. (eds.) FRIEND: Flow Regimes from Experimental and Network Data. Proceedings of the Braunschweig Conference, October 1993. IAHS Press, Wallingford. *IAHS Publication* No. **221**: 369-379.

Lepistö, A. 1995. Runoff generation processes in peaty forest catchments - possibilities for regionalization. In: Leibundgut, Ch. (ed.) Tracer technologies for hydrological systems. Proceedings of the Boulder Symposium, July 1995. IAHS Press, Wallingford. *IAHS Publication* No. **229**: 285-294.

Lepistö, A. 1995. Increased leaching of nitrate at two forested catchments in Finland over a period of 25 years. *Journal of Hydrology* **171**: 103-123.

Lepistö, A., Andersson, L., Arheimer, B. & Sundblad, K. 1995. Influence of catchment characteristics, forestry activities and deposition on nitrogen export from small forested catchments. *Water, Air, and Soil Pollution* **84**: 81-102.

Arheimer, B., Andersson, L. & **Lepistö, A.** 1996. Variation of nitrogen concentration in forest streams - influences of flow, seasonality and catchment characteristics. *Journal of Hydrology* **179**: 281-304.

Lepistö, A. & Kivinen, Y. 1997. Effects of climatic change on hydrological patterns of a forested catchment: a physically based modeling approach. *Boreal Environment Research* **2**: 19-31.

Holko, L. & **Lepistö, A.** 1997. Modelling the hydrological behaviour of a mountain catchment using TOPMODEL. *Journal of Hydrology* **196**: 361-377.

Forsius, M., Johansson, M., Posch, M., Holmberg, M., Kämäri, J., **Lepistö, A.**, Roos, J., Syri, S. & Starr, M. 1997. Modelling the effects of climate change, acidic deposition and forest harvesting on the biogeochemistry of a boreal forested catchment in Finland. *Boreal Environment Research* **2**:129-143.

Lepistö, A., Andersson, L., Herrmann, A. & Holko, L. 1997. Hydrological processes in forested catchments. In: Oberlin, G. & Desbos, E. (eds.) FRIEND Flow Regimes from International Experimental and Network Data; Third report: 1994-1997. UNESCO, Paris. pp 317-329.

Andersson, L. & **Lepistö, A.** 1998. Links between runoff generation, climate and nitrate-N leaching from forested catchments. *Water, Air, and Soil Pollution* **105**:227-237.

Koivusalo, H., Karvonen, T. & **Lepistö, A.** 2000. A quasi-three-dimensional model for predicting rainfall-runoff processes in a forested catchment in southern Finland. *Hydrology and Earth System Sciences* **4**(1): 65-78.

Andersson, L. & **Lepistö, A.** 2000. Annual variability of nitrogen concentrations and export from forested catchments: A consequence of climatic variability, sampling strategies or human interference? *Boreal Environment Research* **5**: 221-233.

Bilaletdin, Ä., **Lepistö, A.**, Finér, L., Forsius, M., Holmberg, M., Kämäri, J., Mäkelä, H. & Varjo, J. 2001. A regional GIS-based model to predict long-term responses of soil and soil water chemistry to atmospheric deposition: initial results. *Water, Air, and Soil Pollution* **131**: 275-303.

Lepistö, A. & Syri, S. 2001. Modeling effects of changing deposition and forestry on nitrogen fluxes in a northern river basin. *Water, Air, and Soil Pollution* **130**: 1691-1696.

Lepistö, A., Kenttämies, K. & Rekolainen, S. 2001. Modeling combined effects of forestry, agriculture and deposition on nitrogen export in a northern river basin in Finland. *Ambio* **30**(6): 338-348.

Vuorenmaa, J., Rekolainen, S., **Lepistö, A.**, Kenttämies, K. & Kauppila, P. 2002. Losses of nitrogen and phosphorus from agricultural and forest areas in Finland during the 1980s and 1990s. *Environmental Monitoring and Assessment* **76**: 213-248.

Rankinen, K., **Lepistö, A.** & Granlund, K. 2002. Hydrological application of the INCA model with varying spatial resolution and nitrogen dynamics in a northern river basin. *Hydrology and Earth System Sciences* **6**: 339-350.

Wade, A.J., Durand, P., Beaujouan, V., Wessels, W.W., Raat, K.J., Whitehead, P.G., Butterfield, D., Rankinen, K. & **Lepistö, A.** 2002. A nitrogen model for European ecosystems: INCA, new model structure and equations. *Hydrology and Earth System Sciences* **6**: 559-582.

Liljaniemi, P., Vuori, K.-M., Tossavainen, T., Kotanen, J., Haapanen, M., **Lepistö, A.** & Kenttämies, K. 2003. Effectiveness of constructed overland flow areas in decreasing diffuse pollution from forest drainages. *Environmental Management* **32** (5): 602-613.

Rankinen, K., **Lepistö, A.** & Granlund, K. 2004. Integrated nitrogen and flow modelling (INCA) in a boreal river basin dominated by forestry: Scenarios of environmental change. *Water, Air & Soil Pollution, Focus* **4**: 161-174.

Lepistö, A., Granlund, K. & Rankinen, K. 2004. Integrated nitrogen modeling in a boreal forestry dominated river basin: N fluxes and retention in lakes and peatlands. *Water, Air & Soil Pollution, Focus* **4**: 113-123.

Kaste, O., Rankinen, K. & **Lepistö, A.** 2004. Modelling impacts of climate and deposition changes on nitrogen fluxes in northern catchments of Norway and Finland. *Hydrology and Earth System Sciences* **8**(4): 778-792.

Granlund, K. Rankinen, K. & **Lepistö, A.** 2004. Testing the INCA model in a small agricultural catchment in southern Finland. *Hydrology and Earth System Sciences* **8**(4): 717-728.

Lepistö, A., Granlund, K., Kortelainen, P. & Räike, A. 2006. Nitrogen in river basins: Sources, retention in the surface waters and peatlands, and fluxes to estuaries in Finland. *Science of Total Environment* **365**: 238-259.

Mattsson, T., Kortelainen, P., **Lepistö, A.**, Räike, A. 2007. Organic and minerogenic acidity in Finnish rivers in relation to land use and deposition. *Science of the Total Environment* **383**(1-3): 183-192. ISSN 0048-9697. <http://dx.doi.org/10.1016/j.scitotenv.2007.05.013> [cited 8.10.2007].

Lepistö, A., Kortelainen, P. & Mattsson, T. 2008. Increased organic C and N leaching in a northern boreal river basin in Finland. *Global Biogeochemical Cycles*, **22**, GB3029, doi:10.1029/2007GB003175.

Koskiaho, J., **Lepistö, A.**, Tattari, S., Kirkkala, T. 2010. On-line measurements provide more accurate estimates of nutrient loading: a case of the Yläneenjoki river basin, southwest Finland. *Water science and technology* **62** (1): 115-122. <http://www.iwaponline.com/wst/06201/wst062010115.htm>

Lepistö, A. Huttula, T., Koponen, S. Kallio, K. Lindfors, A., Tarvainen, M. & Sarvala, J. 2010. Monitoring of spatial water quality in lakes by remote sensing and transect measurements. *Aquatic Ecosystem Health & Management* **13**(2): 176-184.

<http://www.informaworld.com/smpp/content~db=all~content=a922936446~frm=abslink>

Rankinen, K., Thouvenot-Korppoo, M., Lazar, A., Lawrence, D. S. L., Butterfield, D., Veijalainen, N., Huttunen, I., **Lepistö, A.** 2010. Application of catchment scale sediment delivery model INCA-Sed to four small study catchments in Finland. *CATENA* **83** (1): 64-75. <http://dx.doi.org/10.1016/j.catena.2010.07.005>

Lepistö, A. & Kortelainen, P. 2011. Increasing organic C and N fluxes from a northern boreal river basin to the sea. In: Peters, N. et al (eds.) *Water Quality: Current Trends and Expected Climate Change Impacts*. Proceedings of symposium H04 held during IUGG2011 in Melbourne, Australia, July 2011. IAHS Publ. 348: 83-88. <http://www.iahs.info/redbooks/348.htm>

Rankinen, K., Granlund, K., Futter, M.N., Butterfield, D., Wade, A.J., Skeffington, R., Arvola, L., Veijalainen, N., Huttunen, I. & **Lepistö, A.** 2013. Controls on inorganic nitrogen leaching from Finnish catchments assessed using a sensitivity and uncertainty analysis of the INCA-N model. *Boreal Environment Research* **18**: 373–386. <http://www.borenav.net/BER/pdfs/ber18/ber18-373.pdf>

Etheridge, J.R., Birgand, F., Burchell, M.R., **Lepistö, A.**, Rankinen, K. & Granlund, K. 2013. Technical note: Alternative in-stream denitrification equation for the INCA-N model. *Hydrology and Earth System Sciences Discuss.*, **10**, 14557–14569.

Etheridge, J.R., **Lepistö, A.**, Granlund, K., Rankinen, K., Birgand, F., Burchell, M.R. 2014. Reducing uncertainty in the calibration and validation of the INCA-N model by using soft data. *Hydrology Research* **45**(1): 73-88. doi:10.2166/nh.2013.039.

Lepistö A, Futter MN & Kortelainen P. 2014. Almost 50 years of monitoring shows that climate, not forestry, controls long-term organic carbon fluxes in a large boreal watershed. *Global Change Biology* **20**, 1225–1237. doi:10.1111/gcb.12491.

Gonzales-Inca Carlos A, Kalliola Risto, Kirkkala Teija & **Lepistö Ahti**. 2015. Multiscale landscape pattern affecting on stream water quality in agricultural watershed, SW Finland. *Water Resources Management* 29:1669-1682. DOI [10.1007/s11269-014-0903-9](https://doi.org/10.1007/s11269-014-0903-9).

Huttunen I, Huttunen M, Piirainen V, Korppoo M, **Lepistö A**, Räike A, Tattari S, Vehviläinen B. 2015. A national-scale nutrient loading model for Finnish watersheds – VEMALA. *Environmental Modeling and Assessment* (on-line 20 June 2015) <http://link.springer.com/article/10.1007/s10666-015-9470-6>
DOI [10.1007/s10666-015-9470-6](https://doi.org/10.1007/s10666-015-9470-6)

Lohila A., Penttilä T., Jortikka S., Aalto T., Anttila P., Asmi E., Aurela M., Hatakka J., Hellén H., Henttonen H., Hänninen P., Kilkki J., Kyllönen K., Laurila T., **Lepistö A.**, Lihavainen H., Makkonen U., Paatero J., Rask M., Sutinen R., Tuovinen J.-P., Vuorenmaa J. & Viisanen Y. 2015: Preface to the special issue on integrated research of atmosphere, ecosystems and environment at Pallas. *Boreal Environment Research* 20: 431–454. <http://www.borenv.net/>

Mattsson Tuija, Kortelainen Pirkko, Räike Antti, **Lepistö Ahti** & Thomas David N. 2015. Spatial and temporal variability of organic C and N concentrations and export from 30 boreal rivers induced by land use and climate. *Science of the Total Environment* 508: 145-154. <http://dx.doi.org/10.1016/j.scitotenv.2014.11.091>

Gonzales-Inca Carlos A, **Lepistö Ahti** & Huttula Timo 2016. Trend detection in water-quality and load time-series from agricultural catchments of Yläneenjoki and Pyhäjoki, SW Finland. *Boreal Environment Research* 21: 166-180. <http://www.borenv.net/BER/pdfs/ber21/ber21-166.pdf>

Huttunen I, Huttunen M, Piirainen V, Korppoo M, **Lepistö A**, Räike A, Tattari S, Vehviläinen B. 2016. A national-scale nutrient loading model for Finnish watersheds – VEMALA. *Environmental Modeling and Assessment* **21** (1): 83-109 <http://link.springer.com/article/10.1007/s10666-015-9470-6>
DOI [10.1007/s10666-015-9470-6](https://doi.org/10.1007/s10666-015-9470-6)

Jackson-Blake, L.A., Wade, A.J., Futter, M.N., Butterfield, D, Couture, R.-M., Cox, B.A., Crossman, J., Ekholm, P., Halliday, S.J., Jin, L., Lawrence, D.S.L., **Lepistö, A.**, Lin, Y., Rankinen, K., Whitehead, P.G. 2016. The INtegrated CAtchment model of phosphorus dynamics (INCA-P) : Description and demonstration of new model structure and equations. *Environmental Modelling & Software* 83: 356-386. <http://dx.doi.org/10.1016/j.envsoft.2016.05.022>

Kuha, J., Arvola, L., Hanson, Huotari, J., Huttula, T., Juntunen, J., Järvinen, M., Kallio, K., Ketola, M., Kuoppamäki, K., **Lepistö, A.**, Lohila, A., Paavola, R., Vuorenmaa, J., Winslow, L., Karjalainen, J. 2016. Response of boreal lakes to episodic weather-induced events. *Inland Waters* 6 (4): 523-534. <http://dx.doi.org/10.5268/IW-6.4.886>

Tattari S, Koskiahho J, Kosunen M, **Lepistö A**, Linjama J, Puustinen M. 2017. Nutrient loads from agricultural and forested areas in Finland from 1981 up to 2010 – can the efficiency of undertaken water protection measures seen? *Environmental Monitoring and Assessment* 189:95. doi:10.1007/s10661-017-5791-z.

R. Iestyn Woolway ,Piet Verburg , John D. Lenters, Christopher J. Merchant, David P. Hamilton, Justin Brookes, Elvira de Eyto , Sean Kelly, Nathan C. Healey, Simon Hook, Alo Laas, Don Pierson, James A. Rusak, Jonna Kuha, Juha Karjalainen, Kari Kallio, **Ahti Lepistö**, & Ian D. Jones. 2018. [Geographic and temporal variations in turbulent heat loss from lakes: A global analysis across 45 lakes.](#) *Limnology and Oceanography* 63 (6): 2436-2449.

Mika Nieminen, Sakari Sarkkola, Seppo Hellsten, Hannu Marttila, Sirpa Piirainen, Tapani Sallantaus & **Ahti Lepistö**. 2018. [Increasing and Decreasing Nitrogen and Phosphorus Trends in Runoff from Drained Peatland Forests—Is There a Legacy Effect of Drainage or Not?](#) *Water, Air Soil Pollut* 229:286.

Scientific non-refereed articles in proceedings and international assessment reports [33]:

Lepistö, A., Järvi, T. & Seuna, P. 1987. Modelling pH, alkalinity and runoff in a lakeless forested basin in southern Finland. Proc. Int. Symposium on acidification and water pathways, 4-5 May, Bolkesjo, Norway, vol. II: 259-268.

Lepistö, A., Bengtsson, L., Saxena, R. & Seuna, P. 1988. Separation of meltwater and groundwater in a small forested basin. Proc. Nordic Hydrological Conference, 1-3 August, Rovaniemi, Finland, vol. 2: 111-120.

Lepistö, A. 1989. Modelling the effects of acid deposition in a peaty catchment in Finland. Proc. Int. Conf. FRIENDS in Hydrology, Bolkesjo, Norway, April 1-6, IAHS Publ. 187: 455-465.

Bengtsson, L., **Lepistö, A.**, Saxena, R.K. & Seuna, P. 1989. Mixing of acid meltwater with groundwater in a forested basin in Finland. Proc. IAHS Third Scientific Assembly, Baltimore, USA, May 10-19, IAHS Publ. 179: 251-258

Saxena, R.K., **Lepistö, A.**, Bengtsson, L. & Seuna, P. 1990. Movement of soil moisture in a cultivated field by tritium tagging. Proc. Nordic Hydrological Conference, Kalmar, Sweden. NHP-report 26:85-93.

Lepistö, A. 1991. Instrumentation in hydrological and non-point source pollution studies in small research basins in Finland. In: Fossdal, M.L. (ed.) Vann- og stoffbalanse i små nedborfelt. (Water and mass balances in small catchments). Nordisk ekspertm/ote, Karrebaekminde, 21.-23. oktober 1991. The Nordic Coordinating Committee for Hydrology (KOHYNO), Copenhagen. NHP Report 29: 200-211.

Lepistö, A., Sundblad, K., Stålnacke, P. & Andersson, L., 1991. Nitrogen loading from forested catchments in Finland and Sweden -trend analysis of concentration data. In: Fenger, J., Halsnaes, K., Larsen, H., Schroll, H. & Vidal, V. (eds.) Environment, energy and natural resource management in the Baltic region: 3rd international conference on system analysis. Proceedings of the Copenhagen Conference, May 1991. Nordic Council of Ministers, Copenhagen. Nord 48: 273-283.

Lepistö, A. 1992. Instrumentation in hydrological and non-point source pollution studies in small research basins in Finland. Proc. Ekspertseminar om vann- och stoffbalanse i små nedborfelt, 21.- 23.10.1991. Nordic Hydrological Program, NHP-report nr. 29: 200-211.

Kämäri, J., Seuna, P., Ahlberg, T., Holmberg, M., Kivinen, Y., **Lepistö, A.**, Roos, J. & Soveri, J. 1992. The effect of climate change on the hydrology and material fluxes of forested catchments. In: Kanninen, M. & Anttila, P. (eds.) The Finnish research programme on climate change. Progress report. Publications of the Academy of Finland, Helsinki. No. 3/92: 93-100.

Arheimer, B., Andersson, L. & **Lepistö, A.** 1993. Influences of flow dynamics on nitrate concentrations in forest streams. In: Mander, Ü., Fenger, J., Oja, T. & Mikk, M. (eds.) Energy, environment and natural resources management in the Baltic Sea region: 4th International Conference on System Analysis. The Nordic Council of Ministers, Copenhagen. Report 653: 375-383.

Andersson, L., Sundblad, K. & **Lepistö, A.** 1993. Methods for detection and explanation of trends and temporal variability of nitrogen concentrations in small forested catchments. Proc. Conf. on Methods of Hydrological Basin Comparison, Oxford. Institute of Hydrology, Report 120: 182-189.

Lepistö, A. & Kivinen, Y. 1994. Source areas for storm runoff generation estimated by isotope methods and the TOPMODEL. In: Kanninen, M. & Heikinheimo, P. (eds.) The Finnish research programme on climate change. Second progress report. Publications of the Academy of Finland, Helsinki. No. 1/94: 97-103.

Kivinen, Y. & **Lepistö, A.** 1996. The effect of climate change on the hydrology of a forested catchment in southern Finland. In: Roos, J. (ed.) The Finnish research programme on climate change. Final report. Publications of the Academy of Finland 4/96: 114-118.

Lepistö, A. & Kenttämies, K. 1998. Towards the use of satellite-based forest change data in large-scale N leaching models - testing and modeling in a catchment scale. The Nordic Coordinating Committee for Hydrology (KOHYNO), Helsinki. NHP Report 44:210-224.

Kallio, K., Ekholm, P., Kauppila, P., **Lepistö, A.**, Puustinen, M. & Rekolainen, S. 1998. Finnish monitoring programme. In: Oygarden, L. & Botterweg, P. (eds.) Measuring runoff and nutrient losses from agricultural land in Nordic countries - a guideline for good measurement practices. Nordic Council of Ministers. TemaNord 575: 71-78.

Koivusalo, H., Kokkonen, T., Karvonen, T. & **Lepistö, A.** 1999. Modeling snow processes and streamflow generation under forest canopy and on a forest clearing. In: Oxley, L. & Scrimgeour, F. (eds.) Proc. Int. Congress on Modelling and Simulation, MODSIM99. University of Waikato, Hamilton, New Zealand. Volume 1: 147-152. ISBN (book) 0-86422-948-8.

Kokkonen, T., Koivusalo, H., Karvonen, T. & **Lepistö, A.** 1999. A semi-distributed approach to rainfall-runoff modelling - aggregating responses from hydrologically similar areas. In: Oxley, L. & Scrimgeour, F. (eds.) Proc. Int. Congress on Modelling and Simulation, MODSIM99. University of Waikato, Hamilton, New Zealand. Volume 1: 75-80. ISBN (book) 0-86422-948-8.

Eckersten, H., Beier, C., Holmberg, M., Gundersen, P., **Lepistö, A.** & Persson, T. 1999. Application of the nitrogen model to forested land. In: Nitrogen Processes in Arable and Forest Soils in the Nordic Countries - Field-scale modelling and experiments. TemaNord 1999:560: 99-129.

Rankinen, K., Forsius, M., Holmberg, M. & **Lepistö, A.** 2000. Networking of long-term integrated monitoring in terrestrial systems: using models in noLIMITS [online]. Cumbria, Environmental Change Network. [cited 12.1.2001]. 22 p. NoLIMITS report 3. Available from: <http://nolimits.nmw.ac.uk/documents/report3.doc>

Rankinen, K., **Lepistö, A.**, Granlund, K. 2002. Sensitivity of the INCA model to N process parameters and hydrological input. In: Rizzoli, A.E. & Jakeman, A.J. (eds.) *Integrated Assessment and Decision Support : proceedings of the 1st biennial meeting of the International Environmental and Software Society*. University of Lugano, Switzerland, 24-27 June 2002. Vol. 1. Lugano, International Environmental and Software Society. p. 317-321

Ilvesniemi, H., Forsius, M., Finér, L., Holmberg, M. Kareinen, T., **Lepistö, A.**, Piirainen, S., Pumpanen, J., Rankinen, K., Starr, M., Tamminen, P., Ukonmaanaho, L. & Vanhala, P. 2002. Carbon and nitrogen storages and fluxes in Finnish forest ecosystems. In: Käyhkö, J. & Talve, L. (eds.) *Understanding the Global System - the Finnish perspective*. Finnish Global Change Research Programme FIGARE. p. 69-82.

Whitehead, P.G., **Lepistö, A.**, Matzner, E., Durand, P., Tietema, A., Kaste, O., Sabater, F., Gundersen, P., Dise, N. and Jarvie, H. 2003. Integrated Nitrogen Model for European Catchments, INCA. Final Report for EU Commission. Contract No: EVK1-1999-00011. Reporting period: 1 April 2000-31 March 2003. 163 p.

Lepistö, A., Niemi, J., Pitkänen, H. & Mäkinen, R. 2006. Quality of inland and coastal waters – impacts and adaptation. FINADAPT Working Paper WP6; Chapter 3. *Finnish Environment Institute Mimeographs* 336: 13-20.

Suomalainen, M., Vehviläinen, B., Veijalainen, N., **Lepistö, A.** & Mäkinen, R. 2006. Effects on the hydrological cycle – inland waters. FINADAPT Working Paper WP6; Chapter 2. *Finnish Environment Institute Mimeographs* 336: 5-12.

Silander, J., Vehviläinen, B., Niemi, J., Arosilta, A., Dubrovin, T., Jormola, J., Keskisarja, V., Keto, A., **Lepistö, A.**, Mäkinen, R., Ollila, M., Pajula, H., Pitkänen, H., Sammalkorpi, I., Suomalainen, M. & Veijalainen, N. 2006. Climate change adaptation for hydrology and water resources. FINADAPT Working Paper WP6. *Finnish Environment Institute Mimeographs* 336. 54 pp.

Granlund, K., Rankinen, K., Huttunen, I., **Lepistö, A.** 2007. Effect of climate change on the flow regime and snow conditions in a small agricultural study catchment. In: Heinonen, M. 2007. *Proceedings of the Third International Conference on Climate and Water, Helsinki, Finland, 3-6, September 2007*. Helsinki, Finnish Environment Institute. P. 140-145. ISBN 978-952-11-2790 (pbk), 978-11-2790-8 (PDF), 978-952-11-2790-8 (CD/ROM). <http://www.ymparisto.fi/default.asp?contentid=246936&lan=en&clan=en> [cited 24.9.2007].

Lepistö, A. 2007. Methods for estimating excess nitrogen and phosphorus leakage from forestry in Finland. Proceedings from KSLA and SMED Forestry workshop, 14-15 March 2006, Stockholm, Sweden. *Kungl. Skogs- och Lantbruksakademiens Tidskrift* Nr 2/2007. pp 18-23.
http://www.ksla.se/sv/retrieve_file.asp?n=667&t=ksla [cited 15.10.2007]

Etheridge, J.R., **Lepistö, A.**, Granlund, K., Rankinen, K., Burchell, M.R. & Birgand F. 2010. Calibration of the INCA-N Model in the Pyhäjoki and Yläneenjoki Catchments in Finland. Proc. ASABE Annual International Meeting, Pittsburgh, June 20-23, 2010. ASABE Paper No. 1008920.
<http://asae.frymulti.com/abstract.asp?aid=29757&t=2>

Riina Pelkonen, Riku Varjopuro, Anna Tainio & **Ahti Lepistö**. 2011. Workshop proceedings on collaborative scoping of solutions, Lake Pyhäjärvi/River Yläneenjoki catchment, Finland. REFRESH Deliverable 6.7. WP6.

Järvinen Marko, **Lepistö Ahti**, Kallio Kari, Adrian Rita, Nöges Tiina, Nöges Peeter & Tuvikene Arvo. 2012a. Effects of temperature induced changes in mixing depth on nutrient concentrations in lakes. REFRESH Deliverable 3.1. http://www.refresh.ucl.ac.uk/webfm_send/1851

Järvinen Marko, **Lepistö Ahti**, Kallio Kari, Søndergaard Martin & Jeppesen Erik. 2012b. Manuscripts on effects of temperature change on internal loading in shallow and deep lakes. REFRESH Deliverable 3.5. http://www.refresh.ucl.ac.uk/webfm_send/1852

Lepistö Ahti, Etheridge J.Randall, Granlund Kirsti, Kotamäki Niina, Malve Olli, Rankinen Katri & Varjopuro Riku. 2013. Report on the biophysical catchment scale modelling of Yläneenjoki –Pyhäjärvi demonstration site. REFRESH Deliverable 5.5. http://www.refresh.ucl.ac.uk/webfm_send/2161

Varjopuro Riku, Tainio Anna, Pelkonen Riina, **Lepistö Ahti** & Rankinen Katri. 2013. Cost-effectiveness analysis report for the Lake Pyhäjärvi including analysis of disproportionality. REFRESH Deliverable 6.14. http://www.refresh.ucl.ac.uk/webfm_send/2210

Professional articles and reports in Finnish [19]:

Lepistö, A. 1984. Ainetaseet pienillä valuma-alueilla. Vesihallituksen monistesarja n:o 264. ISBN 951-46-8006-5.

Lepistö, A., Seuna, P., Saukkonen, S. & Kortelainen, P. 1995. Hakkuun vaikutus hydrologiaan ja ravinteiden huuhtoutumiseen rehevältä metsävaluma-alueelta Etelä-Suomessa. Teoksessa: Saukkonen, S. & Kenttämies, K. (toim.) Metsätalouden vesistövaikutukset ja niiden torjunta. METVE-projektin loppuraportti. *Suomen Ympäristö 2*: 73-84.

Arvola, L., Bilaledtin, Ä., Frisk, T., Haapala, J., Huttula, T., Hyvärinen, V., Kallio, K., Kauppi, L. Kuikka, S., Kuivalainen, P., Kuosa, H., Kuusisto, E., Kämäri, J., Lehtonen, H., **Lepistö, A.**, Leppäranta, H., Ojala, A., Rekolainen, S., Varis, O. & Vehviläinen, B. 1996. Vedet. Teoksessa: Kuusisto, E. et al.. (toim.) Ilmastonmuutos ja Suomi. Yliopistopaino, Helsinki. Luku 7: 145-178.

Lepistö, A. 1999. Metsätalouden ja typpilaskeuman aiheuttama kuormitus vesiin - valuma-alueilta vesistöaluemittakaavaan. Teoksessa: Ahti, E., Granlund, H. & Puranen, E. (toim.) Metsätalouden ympäristökuormitus. Seminaari Nurmeksessa 23-24.9.1998. *Metsäntutkimuslaitoksen tiedonantoja 745*: 127-138.

Markkanen, S.-L., **Lepistö, A.**, Granberg, K., Huttunen, M., Kenttämies, K., Rankinen, K. & Virtanen, K. 2001. Kainuun vesistöjen ravinnekuormitus. *Suomen ympäristö 509*.

Rekolainen, S., Mannio, J., Mitikka, S., Vuorenmaa, J., Lepistö, L., **Lepistö, A.**, Kenttämies, K., Rissanen, J., Syri, S., Pietiläinen, O.-P., Ekholm, P., Malve, O., Mäkinen, R. & Nikander, A. 2002. Nitraattitypen väheneminen Suomen järvissä. Esiselvitys syistä ja seurauksista. Suomen ympäristökeskuksen moniste n:o 244. 35 p.

Mattsson, T., Finer, L., Kenttämies, K., Ahtiainen, M., Haapanen, M. & **Lepistö, A.** 2006. Avohakkuun vaikutus fosforin, typen ja kiintoaineen huuhtoumiin; raportti VALU-tutkimushankkeen ja Siuntion Rudbäckin alueiden tutkimuksista. *Suomen ympäristö 816*: 63-70.

Pietiläinen, O.-P. (toim.), Antikainen, R., Holmberg, M., Kauppila, P., Ketola, T., Korpinen, P., **Lepistö, A.**, Lepistö, L., Pitkänen, H., Rantanen, P., Rekolainen, S., Räike, A., Santala, E., Similä, J., Tamminen, T., Vuorenmaa, J. 2008. Yhdyskuntien typpikuormitus ja pintavesien tila. Helsinki, Suomen ympäristökeskus. 71 s. *Suomen ympäristö* ; 2008, 46. <http://www.ymparisto.fi/default.asp?contentid=307717&lan=fi> [viitattu 11.2.2009].

Lepistö, A., Räike, A., Pietiläinen, O.-P. 2009. Typpikuormituksen kulkeutuminen ja pidättyminen sisävesialueella. *Vesitalous 50* (6): 18-21. ISSN 0505-3838.

Räike, A., Rankinen, K., **Lepistö, A.**, Pietiläinen, O.-P., Knuuttila, S. 2009. Typpikuormitus Itämereen on kasvussa. *Vesitalous 50* (6): 22-24. ISSN 0505-3838.

Lepistö, A., Huttula, T., Granlund, K., Kallio, K., Kiirikki, M., Kirkkala, T., Koponen, S., Koskiahho, J., Liukko, N., Malve, O., Pyhälähti, T., Rasmus, K ja Tattari, S. 2010. Uudet menetelmät ympäristöntutkimuksessa ja seurannassa – pilottina Säskylän Pyhäjärvi. Suomen ympäristö 9/2010, Ympäristönsuojelu. Suomen ympäristökeskus. 46 p. <http://www.ymparisto.fi/default.asp?contentid=358428&lan=fi&clan=fi>

Lepistö Ahti & Kortelainen Pirkko. 2015. Orgaanisen aineksen huuhtoutuminen on kasvussa – monilähteisen informaation yhdistäminen. Vesitalous 2: 14-18. Teemanumero: 2/2015 'Tiedon arvo syntyy käytöstä. <http://www.vesitalous.fi/vesitalous-lehdet/tiedon-arvo-syntyy-kaytosta/>

Tattari Sirkka, **Lepistö Ahti**, Koskiahho Jari, Linjama Jarmo, Puustinen Markku. 2015. Maa- ja metsätalouden aiheuttama hajakuormitus – havaitaanko muutoksia pitkällä jaksolla? Vesitalous 2: 19-24. Teemanumero: 2/2015 'Tiedon arvo syntyy käytöstä. <http://www.vesitalous.fi/vesitalous-lehdet/tiedon-arvo-syntyy-kaytosta/>

Lepistö, Ahti. 2017. luku 7.6 Metsätalouden vesistövaikutukset. Julkaisussa: Koljonen Tiina ym. Energia ja ilmastostrategian vaikutusarviot: Yhteenvetoraportti. Valtioneuvoston selvitys- ja tutkimustoiminnan julkaisusarja 21/2017. pp 82-83. http://tietokayttoon.fi/documents/10616/3866814/21_Energia-+ja+ilmastostrategian+vaikutusarviot+Yhteenvetoraportti/40df1f5f-c99c-47d1-a929-a4c825f71547?version=1.0

Seppo Hellsten, **Ahti Lepistö**, Artti Juutinen, Björn Klöve. 2018. BIOWATER - pohjoismainen huippuyksikkö selvittää biotalouden vesistövaikutuksia. Vesitalous 59 (2): 33.

Lepistö Ahti, Kallio Kari, Pitkänen Heikki, Raateoja Mika, Röman Elina, Seppälä Jukka, Suomela Janne, Tarvainen Marjo & Tattari Sirkka. 2018. [Jatkuvatoimisten vedenlaatuasemien valtakunnallinen verkosto - toteuttamissuunnitelma](#). Suomen ympäristökeskuksen raportteja 32.

Lepistö Ahti, Tattari Sirkka, Kallio Kari & Tarvainen Marjo. 2018. Jatkuvaa ympäristötietoa joki-, järvi- ja merikohteista. Vesitalous 59 (4): 32-35.

Ahti Lepistö, Heikki Mykrä, Kristian Meissner ja Anna-Stiina Heiskanen. 2018. Katsaus SYKE:n Vesikeskuksen julkaisutuotantoon 2018. http://www.syke.fi/fi-FI/Tutkimus_kehittaminen/Vesi/Julkaisut

Tattari Sirkka, Tarvainen Marjo, Kallio Kari, **Lepistö Ahti**, Näykki Teemu, Raateoja Mika, Seppälä Jukka. 2019. [Laatukäsikirja jatkuvatoimiville vedenlaadun mittauksille - Opas hyväksi käytännöiksi](#) _Suomen ympäristökeskus. Suomen ympäristökeskuksen raportteja 4/2019

Popular publications, in Finnish [14]:

Lepistö, A. 1989. Valumaveden alkuperä - isotooppitekniikan hyödyntäminen happaman laskeuman tutkimuksessa. Ilmansuojelu-uutiset 6/89: 27-30. Ilmansuojeluyhdistys ry.

Lepistö, A. 1990. Valumaveden alkuperä - isotooppitekniikka valunnan ja haja-kuormituksen tutkimuksessa. Tiedonvirta 2/90.

Lepistö, A. & Seuna, P. 1990. Hydrologiset tekijät ja valumaveden laatu. Tiedonvirta 3/90.

Lepistö, A. & Seuna, P. 1993. Valunnan kulkureitit peltovaluma-alueella. Tiedonvirta 1/93.

Seuna, P., Rekolainen, S., **Lepistö, A.**, Kivinen, Y., Pietiläinen, O-P & Susimaa, H. 1993. Automaatio hajakuormitus- ja prosessitutkimuksen työkaluna. *Tiedonvirta* 3/93.

Lepistö, A. 1993. Veden kulkeutumisreitit valuma-alueella - stabiilit isotoopit hydrologian merkkiaineina. Teoksessa: Salminen, R. & Lemmelä, R.(toim.) GTK-VYH ympäristö-tutkimusseminaari 18.11.1992. Geologian tutkimuskeskus, Tutkimusraportti 119: 69-78.

Seuna, P. & **Lepistö, A.** 1993. Mitä vettä purossa virtaa - veden kulkeutumisreitit valuma-alueella. *Vesitalous* 3: 1-6.

Lepistö, A. 1994. Typen laskeuma lisää rehevöittäviä typen huuhtoumia vesistöihin. *Ympäristö* 1/94: 36-37.

Lepistö, A. 2000. Typpikuormituksen alueellinen vaihtelu esiin uudella arviointimallilla. *Ympäristö*, vol. 14, nro 6: 32-34. ISSN 1237-0711.

Lepistö, A. 2003. Lämpeneminen lisää talvitulvia sekä vesistöjen typpikuormaa. *Ympäristö* 7/2003: 28-29.

Härkönen, T. 2005. Vesistöjen tilasta saadaan jatkuvasti uutta tietoa. *Euroopan Tiede ja Teknologia* 3/2005. pp. 12-13. Haastattelu ja Euro-limpacs –projektin esittely.

Lepistö, A., Kallio K. & Huttula, T. 2009. Automaattisen järviaseaman avulla tarkkaa tietoa Pyhäjärvestä. Järvipelastaja – Pyhäjärven Järvipelastajien tiedotuslehti 2009 / 2010. p. 18.

Lepistö, A. & Huttula, T. 2016. Liukoisten ravinteiden kuormitus pelloilta vesiin kasvussa Pyhäjärvisuudulla. *Vesikirje* 1/2016. Suomen ympäristökeskus SYKE, Vesikeskus.

Lepistö, A. 2016. Biotaloutta kannattaa kehittää kestävästi, ei vesien kustannuksella. *Ratkaisuja-blogi* 8.6.2016. <http://www.syke.fi/fi-FI/content/39482/29961>

Some recent conference abstracts [from 2004 on]

Granlund, K., **Lepistö, A.**, Rankinen, K. 2004. Integrated nitrogen modeling (INCA) in a small agricultural catchment in Southern Finland. In: *Societas Internationalis Limnologiae (SIL), XXIX Congress Lahti, Finland, 8-14 August 2004: Book of abstracts*. Helsinki, Finnish Limnological Society, University of Helsinki, SIL. p. 411.

Lepistö, A., Granlund, K., Kortelainen, P. 2005. Retention of nitrogen in river basins and fluxes to estuaries in Finland. In: Hunová, I., Ostatnická, J., Dostálová, Z., Navrátil, T.. *Acid rain 2005 : 7th International conference on acid deposition, Prague, Czech Republic, June 12-17, 2005 : Conference abstracts*. Prague, Český hydrometeorologický ústav/Czech Hydrometeorological Institute. P. 342.

Mattsson, T., Kortelainen, P., **Lepistö, A.**, Räike, A. 2005. Organic and minerogenic acidity in Finnish rivers in relation to land use cover. In: Hunová, I., Ostatnická, J., Dostálová, Z., Navrátil, T. *Acid rain 2005 : 7th International conference on acid deposition, Prague, Czech Republic, June 12-17, 2005: Conference abstracts*. Prague, Český hydrometeorologický ústav/Czech Hydrometeorological Institute. P. 447.

Lepistö, A. & Kortelainen, P. 2006. Increasing organic carbon and nitrogen leaching in a northern boreal river basin in Finland. In: *Biogeomon : 5th International Symposium on Ecosystem Behaviour, June 25-30, 2006, Santa Cruz, CA, USA : Conference program and abstracts*. [Santa Cruz], Villanova University. P. 137.

Lepistö, A., Kortelainen, P. & Mattsson, T. 2007. Increasing organic N and C fluxes from a northern boreal river basin to the estuary. 30th Congress of the International Association of Theoretical and Applied Limnology, August 12-18,2007, Montreal, Canada. SIL 2007 Abstracts CD.

Granlund, K., Rankinen, K., **Lepistö, A.**, Wade A. J., Butterfield, D. 2009. Inorganic nitrogen leaching from two Finnish research catchments under future climate conditions. In: Ulkomaanaho, L., Nieminen, T. M., Starr, M. (Eds.): 6th International Symposium on Ecosystem Behaviour BIOGEOMON 2009 : Conference Programme & Abstracts. Helsinki, Finnish Forest Research Institute. P. 54. *Metlan työraportteja / Working Papers of the Finnish Forest Research Institute*; 2009, 128. ISBN 978-951-40-2177-0, ISSN 1795-150X.

Lepistö, A., Koskiaho, J., Tattari, S., Granlund, K., Huttula, T., Kirkkala, T. 2009. On-line measurement and modelling provide new information on nutrient leaching processes in the Yläneenjoki catchment, SW Finland. In: *IWA DIPCON 2009 : Book of abstracts : 13th International Specialized Conference on Diffuse Pollution and Integrated Watershed, 12-15 October Lotte Hotel World, Seoul, Korea*. [Cheongju], IWA Specialist Conferences : Chungbuk National University. P. 203-204.

Lepistö, A., Futter, M. & Kortelainen, P. 2012. Increasing organic C and N fluxes from a northern boreal river basin – monitoring and modeling suggest climate related controls. Geophysical Research Abstracts, Vol. 14, EGU2012-4903. EGU General Assembly, Vienna, April 2012.

Lepistö, A., Futter, M & Kortelainen, P. 2012. Increasing organic C and N fluxes from a northern Finnish river basin – monitoring and modeling suggest climate-related controls. In: Ivan J. Fernandez, Stephen A. Norton, and Tiffany Wilson (eds.) The 7th International Symposium on Ecosystem Behavior. Northport, Maine, USA, July 15-20, 2012. Conference Program and Abstracts. Villanova University 2012. p. 154. ISBN 978-0-87723-108-0.

Lepistö, A., Futter, M & Kortelainen, P. 2013. Increasing organic C and N fluxes from a northern Finnish river basin – monitoring and modeling suggest climate- related controls. IAHS/IAPSO/IASPEI Joint Assembly. 22-26 July 2013, Gothenburg, Sweden.